1962 ANNUAL INDEX

Textile Research Journal

Volume XXXII

MONTH	PAGES	MONTH	PAGES
January	1–86	July	529–618
February	87–172	August	619–704
March	173–254	September	705–790
April	255–352	October	791–872
May	353–434	November	873–962
June	435–528	December	963–1052

L = Letter to the Editor

AUTHOR AND TITLE INDEX

Aus-Wang, Tove The Effect of an Airborne Soil on the Photochemical Degradation of Wool (*Morris, Mitchell*) 723

Alexander, Ernst The Crimp of Cotton Fibers (*Lewin, Litav, Peres, Shiloh*) 898

The Recovery of Crimp of Wool Fibers (*Banbaji, Shiloh, Lewin*) 568

Ames, William F. Regression Analysis as Applied to an Equation of State for Nylon Yarn 8

Anderson, C. A. Aqueous Jet Scouring of Raw Wool. *Part I:* Factors Affecting Grease Removal (*Poulter*) 387

Aqueous Jet Scouring of Raw Wool: A Reply (*Poulter*)—L 872

Andrews, B. A. Kottes Hydrolysis Resistance of Cross-Linking Finishes for Cotton (*Arceneaux, Frick, Reid*) 489

Andrews, Charles M. A Rapid Method for Detection and Evaluation of Biologically Damaged Cotton (Cavitoma) (*Hessler*)—L 862

Andrews, M. W. Torsional Rigidity of the Ortho- and Paracortex of Wool (*Feughelman, Mitchell*)—L 421

Arceneaux, Richard L. Extent of Hydrolysis of Formaldehyde-Treated Cotton (*Fujimoto*)—L 521

Hydrolysis Resistance of Cross-Linking Finishes for Cotton (*Andrews, Frick, Reid*) 489

Armstrong, Arthur A., Jr. Activation Analysis in Textile Processing (*Walsh, Teszler, Rutherford*) 728

Arthur, Jett C., Jr. The Effects of Gamma Radiation on Cotton. *Part IV:* Apparent Energy of Activation of Viscous Flow for Dilute Solutions of Irradiated Cottons (*Demint*) 108

Radiation-Induced Interaction of Styrene with Cotton (*Demint, Markezich, McSherry*) 918

Audivert, R. The Effect of Speed of Drafting, in Terms of Spindle Speed, on Skein Breaking Strength of Cotton Yarns Spun on the Double-Apron System (*Vidiella*) 652

Backer, Stanley Mechanical Principles of Natural Crimp of Fiber (*Brand*) 39

Bagley, Miss J. The Measurement of Molecular Orientation in Polyethylene Terephthalate Filaments by X-Ray Diffraction (*Farrow*) 587

Baird, K. Orientation of Merino Wool Fibers in Woven Fabrics—L 419

Setting and Hygral Expansion of Wool Fabrics (reply to B. Olofsson)—L 1037

Balasubramaniam, E. Creep of Wool Fibers. *Part I:* The Measurement of Creep (*Whiteley*) 381

Balasubramanian, N. Upgrading by Apron Drafting (*Iyengar*)—L 957

Bambenek, R. A. Thermal Conductivity of Nylon Parachute Fabrics Subjected to Compressional Stresses (*Lis, Engholm*) 24

Banbaji, Joseph The Recovery of Crimp of Wool Fibers (*Alexander, Shiloh, Lewin*) 568

Bandyopadhyay, S. B. Relation between Quadratic (CV) and Linear (U) Irregularities in Jute Yarns (*Mukhopadhyay*)—L 247

Some Observations on Mesta Fiber Spinning After Various Batching Periods (*Chatterji*)—L 870

Barella, Alberto Cohesion Phenomena in Cotton Rovings and Yarns. *Part I:* General Study (*Sust*) 217

A New Electronic Device for Measuring the Unevenness of the Card Web and for Nep Counting (*Pujal, Viaplana*)—L . . 428

Basu, S. N. A Microscopical Study on the Degradation of Jute Fiber by Micro-Organisms (*Ghose*) 677

Structural Changes Brought about in the Jute Fiber by Micro-Organisms and their Enzymes (*Ghose*) 932

Benisek, Ladislav Polarographic Determination of Isophthalic Acid in the Presence of Terephthalic Acid in Polyester Fibers 539

Bhaduri, S. N. Dependence of Hook Removal at Drawing on Some Drafting Parameters (*Ghosh*)—L 864

The Effect of Configuration in Feed on Comber Waste (*Wakankar*) 641

Fiber Configuration in Card Slivers with Different Types of Feed (*Wakankar*)—L 167

Bhattacharya, U. Fabric Thickness with Varying Picks (*Swami*)—L 161

Validity of the Belt Equation for Cotton Fiber Friction (*Nanal*)—L 616

Blandford, Josephine M. Stress–Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VIII:* Shock Waves, Limiting Breaking Velocities, and Critical Velocities (*Smith, Towne*) 67

Stress–Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part IX:* Effect of Yarn Structure (*Smith, Shouse, Towne*) 472

Blankenburg, G. The Influence of Weathering on Some Chemical and Physical Properties of Wool Fibers, with Particular Reference to Felting (*Zahn*) 986

Bose, R. G. Decomposition of Cellulose by *Paecilomyces elegans* (Corda) Mason & Hughes—**L** (Correction, p. 618) 426
Bostwick, Charles O. The Effect of Spinneret Hole Length on Fiber Diameter: A Means for Measuring Polymer Solution Inhomogeneities 819
Brand, R H. Mechanical Principles of Natural Crimp of Fiber (*Backer*) 39
Brown, John J. Yarn and Fabric Properties and Processing Performance of Cotton Treated with a Cross-Linking Resin (*Ruppenicker, Hoffman*) 516
Brysson, Ralph J. New Test Fabric for Tensile Determinations (*Markezich*)—**L** 615

Carra, Jarrell H. Microscopical Observations of Abrasion Phenomena in Cotton (*deGruy, Tripp, Rollins*) 873
Yarn Untwisting as a Rapid Test of Cotton Swelling in Various Reagents (*Tripp, Orr*)—**L** 1041
Chaikin, M. Aqueous Jet Scouring of Raw Wool: A Comment (*Samson*)—**L** 871
Chakravarty, A. C. Crimp Produced in Jute Fibers by Treatment with Sodium Hydroxide Solutions—**L** 525
Chance, Leon H. The Treatment of Cotton with Formaldehyde in Calcium Chloride Solutions (*Leonard, Reeves*) 481
Chatterjee, H. Dyeing and Hydrolytic Behavior of the Jute Fiber during the Growth of the Plant (*Mazumdar*)—**L** 163
Kinetics of Moisture Sorption by Jute and its Constituents—**L** 694
Role of Lignin in Hydrolysis of Jute Fiber—**L** 245
Chatterji, K. K. Some Observations on Mesta Fiber Spinning After Various Batching Periods (*Bandyopadhyay*)—**L** . . . 870
Clark, James J. Ultraviolet Microscopy of Fibers and Polymers (*Felton, Thomas*) 57
Coe, Arthur B. A Microscopical Method for the Study of Free Thermal Shrinkage in Oriented Polymers (*Prevorsek, Tobolsky*)—**L** 960
Conner, Charles J. Influence of Solvent Media upon Polymerization of a Silicone Alloy Water Repellant (*Mazzeno, Reeves*) 598
Conrad, Carl M. X-Ray Diffractometer Thermal Technique for Study of Structural Changes in Cellulosic Compounds (*Creely*) 184
Cooper, D. N. E. Correction [**31**: 845 (1961)] 657
Cooper, W. P. Effects of Preconditioning Humidity on the Equilibrium Regain of Various Fibers, in the Standard Atmosphere for Testing (*Scroggie, Mereness, Crary*) 923
Coplan, M. J. Thermodurable Textile Systems (*Freeston, Powers*) 777
Craig, J. P. Characterization of Acrylic Fiber Structure (*Knudsen, Holland*) 435
Crary, J. S. Effects of Preconditioning Humidity on the Equilibrium Regain of Various Fibers, in the Standard Atmosphere for Testing (*Scroggie, Mereness, Cooper*) 923
Creely, Joseph J. X-Ray Diffractometer Thermal Technique for Study of Structural Changes in Cellulosic Compounds (*Conrad*) 184
Crewther, W. G. The Effects of Iodination and Related Modifications on the Supercontraction of Wool Fibers (*Dowling*) . . 834

Darby, Richard T. Soil Burial of Fabrics Treated with Minimal Concentrations of Fungicides (*Kempton*) 548
Daruwalla, E. H. Heterogeneous Acid Hydrolysis of Alpha-Cellulose from Sudanese Cotton (*Shet*) 942
Integral and Interval Sorption and Desorption of Water Vapor by Cellulose and Acetyl Cellulose (*Shet*)—**L** 165
Datye, Keshav V. Studies in the Reaction of Formaldehyde with Unmodified, Modified, and Dyed Celluloses. *Part I:* Kinetics of Reaction of Formaldehyde with Cotton Cellulose . . . 825
Studies in the Reaction of Formaldehyde with Unmodified, Modified, and Dyed Celluloses. *Part II:* Equilibrium Reaction of Formaldehyde with Cotton Cellulose at 30° C . . . 883
Davis, A. Eleanor A Critical Study of Wool Carbonizing (*Mizell, Oliva*) 497
Davis, R. C. The Influence of Calcium on the Adsorption of Sodium Dodecylbenzenesulfonate of Cotton (*Schwarz, Martin*) 1
Davison, S. Determination of Cellulose in Textile Fibers (*Smith, Smith*) 29
deGruy, Ines V. Microscopical Observations of Abrasion Phenomena in Cotton (*Carra, Tripp, Rollins*) 873
de la Burde, R. The Axial Nonuniformity of Keratinization in Hair—**L** 422
DeLuca, Lloyd B. Crystallite Orientation and Spiral Strucure of Cotton: Considerations for Measuring Crystallinity (*Orr*)—**L** 243
Demas, Harry J. Friction Studies on Caprolan Filament Yarn (*Schlatter*) 87
Demint, Robert J. The Effects of Gamma Radiation on Cotton. *Part IV:* Apparent Energy of Activation of Viscous Flow for Dilute Solutions of Irradiated Cottons (*Arthur*) 108
Radiation-Induced Interaction of Styrene with Cotton (*Arthur, Markezich, McSherry*) 918
Dillon, J. H. Effects of Annealing upon Shear Modulus and Density of Linear Polyethylene (*Shibukawa, Gupta, Turner, Tobolsky*)—**L** 868
Temperature Dependence of Modulus, Density and Crystallinity of Linear Polyethylenes (*Shibukawa, Gupta, Turner, Tobolsky*) 810
Temperature Dependence of Shear Modulus and Density of Nylon-6 (*Shibukawa, Gupta, Turner, Tobolsky*) 1011
Temperature Dependence of Shear Modulus, Density, and Crystallinity of Isotactic Polypropylene (*Shibukawa, Gupta, Turner, Tobolsky*) 1008
Dowling, L. M. The Effect of Iodination and Related Modifications on the Supercontraction of Wool Fibers (*Crewther*) . 834

Dweltz, N. E. X-Ray Measurements of Crystallinity and Crystallite Size in Swollen and Hydrolyzed Cottons (*Patil, Radhakrishnan*) 460

Ellzey, S. E., Jr. Reaction of Aryl Isocyanates with Cotton Cellulose. *Part I:* Variables in the Reaction using Phenyl Isocyanate (*Mack*) 1023
Reaction of Aryl Isocyanates with Cotton Cellulose. *Part II:* Textile Properties of Fabric Modified by Reaction with Phenyl Isocyanate (*Wade, Mack*) 1029
Engholm, G. Thermal Conductivity of Nylon Parachute Fabrics Subjected to Compressional Stresses (*Lis, Bambenek*) . . . 24
Ewald, Philip R. The 50-Gram Spinning Test: Its Development and Use in Cotton-Quality Evaluation (*Landstreet, Hutchens*) 665
A Servo-Densitometer for Examining X-Ray Diffraction Patterns of Cotton Fibers (*Krowicki*) 815

Fahnestock, M. K. Comfort of Subjects Clothed in Cotton, Water Repellent Cotton, and Orlon Suits (*Galbraith, Werden, Price*) 236
Farrow, G. The Measurement of Molecular Orientation in Polyethylene Terephthalate Filaments by X-Ray Diffraction (*Bagley*) 587
Felton, Clinton D. Ultraviolet Microscopy of Fibers and Polymers (*Thomas, Clark*) 57
Fenner, Terrence W. Oxidation of Partially Etherified Cottons with Nitrogen Dioxide (*Reinhardt, Reid*) 735
Feughelman, M. A Note on Mechanical Weakening in a Stretched Wool Fiber During Moisture Sorption—**L** 788
Permanent Set and Keratin Structure (*Haly, Snaith*) 913
The Physical Properties of Wool Fibers at Various Regains. *Part VI:* The Mechanism of Stress Relaxation and Length Recovery (*Haly*) 227
The Physical Properties of Wool Fibers at Various Regains. *Part VII:* The Binding of Water in Keratin (*Haly*) . . . 966
The Physical Properties of Wool Fibers at Various Regains. *Part VIII:* N.M.R. Absorption by Water in Wool during Changes of Water Content (*Haly, West*) 971
Torsional Rigidity of the Ortho- and Paracortex of Wool (*Andrews, Mitchell*)—**L** 421
Fiori, Louis A. The Effect of the Short Fibers in a Cotton on Its Processing Efficiency and Product Quality. *Part IV:* Grey and Finished Fabrics (*Tallant, Sands*) 50
Short Fibers in Cotton [reply to V. B. Merchant] (*Tallant*) —**L** 610
Use of the Immersion Technique for Measuring the Volume of Cotton Yarn Packages (*Tallant, Groves*)—**L** 432
The Utilization of *Diplodia*-Damaged Boll-Rot Cotton. *Part I:* Effects on Yarn Properties and Spinning Efficiency (*Sands, Groves, Marsh*) 1013
Fisher, C. H. All-Cotton Stretch and Bulked Yarns and Fabrics 313
Fletcher, Hazel M. Geometry and Properties of Cotton Two-Bar Raschel Fabrics (*Roberts*) 173
Fort, Tomlinson, Jr. Friction of Textile Yarns [reply to K. W. Mieszkis] (*Olsen*)—**L** 613
Foster, S. H. Application and Properties of a Durable Wash-and-Wear Finish for Cotton (*Tashlick*) 574
Freeston, W. D., Jr. Thermodurable Textile Systems (*Coplan, Powers*) 777
Frick, J. G., Jr. Cross-Linking Cotton in the Peripheral Regions of the Fiber (*Pierce, Tripp*)—**L** 425
Electronic Effects of Substituent Groups upon Acid Hydrolysis of Amido-Methylol Finishes on Cotton (*Reeves, Vail*) 305
Hydrolysis Resistance of Cross-Linking Finishes for Cotton (*Andrews, Arceneaux, Reid*) 489
Froger, Christian. The Effects of Negative Ions Produced by Fibers of Polyvinyl Chloride—**L** 168
Fujimoto, Reginald A. Extent of Hydrolysis of Formaldehyde-Treated Cotton (*Arceneaux*)—**L** 521

Galbraith, Ruth L. Comfort of Subjects Clothed in Cotton, Water Repellent Cotton, and Orlon Suits (*Werden, Fahnestock, Price*) 236
Ghose, Rekha A Microscopical Study of the Degradation of Jute Fiber by Micro-Organisms (*Basu*) 677
Structural Changes Brought about in the Jute Fiber by Micro-Organisms and their Enzymes (*Basu*) 932
Ghosh, G. C. Dependence of Hook Removal at Drawing on Some Drafting Parameters (*Bhaduri*)—**L** 864
Giles, Charles H. A Review of Methods of Purifying and Analyzing Water-Soluble Dyes (*Greczek*) 506
Studies in Adsorption. *Part XV:* Some Aspects of the Kinetics of Dyeing Gelatin and Wool (*Montgomery, Tolia*) 99
Gill, Robert A. The Effect of Relative Humidity on the Crease Recovery of Some Modified Rayon and Cotton Fabrics (*Steele*) 338
Graham, D. R. Tryptophan in Wool. *Part II:* The Tryptophan Content of Modified Wools (*Statham*) 908
Grajeck, E. J. Oil and Water Repellent Fluorochemical Finishes for Cotton (*Petersen*) 320
Graliński, M. A New Solvent for Polypropylene Fiber in the Analysis of Fiber Mixtures—**L** 170
Greczek, Janusz J. A Review of Methods of Purifying and Analyzing Water-Soluble Dyes (*Giles*) 506
Greenberger, M. A Critical Comparison of Available Methods for the Spectrophotometric Determination of Micro-Amounts of Copper in Textiles (*Kempton, Kaplan*) 128

Groves, Noble H. Use of the Immersion Technique for Measuring the Volume of Cotton Yarn Packages (*Tallant, Fiori*)—L 432
The Utilization of *Diplodia*-Damaged Boll-Rot Cotton. *Part I:* Effects on Yarn Properties and Spinning Efficiency (*Sands, Fiori, Marsh*) 1013
Gulati, A. N. Relative Humidity and Cotton Spinning—L 350
Gupta, V. D. Effects of Annealing upon Shear Modulus and Density of Linear Polyethylene (*Shibukawa, Turner, Dillon, Tobolsky*)—L 868
Molecular Dimensions in Crystalline Polymers (*Tobolsky*)—L 85
Temperature Dependence of Modulus, Density and Crystallinity of Linear Polyethylenes (*Shibukawa, Turner, Dillon, Tobolsky*) 810
Temperature Dependence of Shear Modulus and Density of Nylon-6 (*Shibukawa, Turner, Dillon, Tobolsky*) 1011
Temperature Dependence of Shear Modulus, Density, and Crystallinity of Isotactic Polypropylene (*Shibukawa, Turner, Dillon, Tobolsky*) 1008

Hall, David M. An Infrared Study of Cellobiose Derivatives (*Robbins*)—L 860
Haly, A. R. Birefringence of Supercontracted and Washed Wool Fibers—L 526
Permanent Set and Keratin Structure (*Feughelman, Snaith*) 913
The Physical Properties of Wool Fibers at Various Regains. *Part VI:* The Mechanism of Stress Relaxation and Length Recovery (*Feughelman*) 227
The Physical Properties of Wool Fibers at Various Regains. *Part VII:* The Binding of Water in Keratin (*Feughelman*) 966
The Physical Properties of Wool Fibers at Various Regains. *Part VIII:* N.M.R. Absorption by Water in Wool during Changes of Water Content (*West, Feughelman*) 971
Supercontraction and Elongation of Modified Keratin Fibers in LiBr Solution (*Swanepoel*) 375
Hamburger, W. J. An Experimental Study of Tire Cord Fatigue (*Klein, Platt*) 393
Hargreaves, Gladys Radiative Degradation of Nylon 66 Filaments as Shown with a Polarizing Microscope—L 784
Hebberling, F. The Power Requirements for Reciprocating Yarn Traverses 211
Hersh, S. P. The Effect of Tension on the Properties of Resin-Treated Cotton Fabrics (*Margeson, Sookne*) 271
Hessler, Lyle E. A Rapid Method for Detection and Evaluation of Biologically Damaged Cotton (Cavitoma) (*Andrews*)—L 862
Hicks, E. M., Jr. "Lycra" Staple Blends: A Route to Elasticity in Spun Yarns 791
Hoffman, Milton J. Yarn and Fabric Properties and Processing Performance of Cotton Treated with a Cross-Linking Resin (*Ruppenicker, Brown*) 516
Holland, V. F. Characterization of Acrylic Fiber Structure (*Craig, Knudsen*) 435
Hooper, Gilman S. Polypropylene Textile Fibers (Correction, p. 627) 529
Hutchens, H. The 50-Gram Spinning Test: Its Development and Use in Cotton-Quality Evaluation (*Landstreet, Ewald*) 665

Iijimi, T. Some Observations on the Adsorption of HCl by Nylon 6 (*Sekido*)—L 784
Ingram, A. P., Jr. Cause of Bleach-Induced Yellowing of APO-Finished Cotton (*LeBlanc*) 284
Inoue, Kimio Improvement of Rayon by Continuous High-Temperature Steaming. *Part I:* Degree of Swelling and Mechanical Properties (*Okajima, Yazawa, Kuwazuka*) 843
Iyengar, R. L. N. Effect of Relative Humidity on the Bundle Strength at Zero and ⅛ inch Gauge Lengths (*Prakash*)—L 954
Upgrading by Apron Drafting (*Balasubramanian*)—L 957

Jameson, J. W. Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part III:* Strain-Time-Position History in Yarns (*Stewart, Petterson, Odell*)—L 858

Kaizerman, S. The Polymerization of Vinyl Monomers in Cellulosic Fibers (*Mino, Meinhold*) 136
Kaplan, A. M. A Critical Comparison of Available Methods for the Spectrophotometric Determination of Micro-Amounts of Copper in Textiles (*Kempton, Greenberger*) 128
The Necessity for Scouring the "Standard" Blue-Line Cotton Fabric (*Rogers*)—L 161
Kato, Koichi. Photodegradation of Nylon 6 Filaments Revealed by Microscopy 181
Skin and Core Staining of Nylon 6 Yarns—L 695
Kato, Mashaomi The Effect of Steaming on the Rate of Dyeing of Polyamide and Polyester Fibers (*Matsunaga*)—L 522
Kempton, A. G. A Critical Comparison of Available Methods for the Spectrophotometric Determination of Micro-Amounts of Copper in Textiles (*Greenberger, Kaplan*) 128
Soil Burial of Fabrics Treated with Minimal Concentrations of Fungicides (*Darby*) 548
Khandaker, A. W. The Variability of Fiber Diameter in Wool Bulks from Australian Flocks (*Lang*)—L 786
Klein, W. G. An Experimental Study of Tire Cord Fatigue (*Platt, Hamburger*) 393
Knudsen, J. P. Characterization of Acrylic Fiber Structure (*Craig, Holland*) 435
Koenig, N. H. Modification of Wool in Dimethylformamide with Mono- and Diisocyanates 117

Krasny, John F. Fabric Construction for Wash-and-Wear Cottons (*Sookne, Stam*) 258
Krowicki, Richard S. A Servo-Densitometer for Examining X-Ray Diffraction Patterns of Cotton Fibers (*Ewald*) 815
Kulkarni, A. Y. Rot Resistance of PAN Grafted Cellulosic Fabrics (*Mehta*)—L 701
Kuwazuka, Yasuhiko Improvement of Rayon by Continuous High Temperature Steaming. *Part I:* Degree of Swelling and Mechanical Properties (*Okajima, Inoue, Yazawa*) 843

Landstreet, C. B. The 50-Gram Spinning Test: Its Development and Use in Cotton-Quality Evaluation (*Ewald, Hutchens*) 665
Lang, W. R. The Variability of Fiber Diameter in Wool Bulks from Australian Flocks (*Khandaker*)—L 786
LeBlanc, R. B. Cause of Bleach-Induced Yellowing of APO-Finished Cotton (*Ingram*) 284
Leonard, Ethel K. The Treatment of Cotton with Formaldehyde in Calcium Chloride Solutions (*Chance, Reeves*) 481
Lewin, Menachem The Crimp of Cotton Fibers (*Alexander, Litav, Peres, Shiloh*) 898
The Recovery of Crimp of Wool Fibers (*Banbaji, Alexander, Shiloh*) 568
Lifland, Leonard Introduction of 6,6′-Disulfide Cross-Links into Cellulose (*Pacsu*)—L 170
6,6′-Disulfide Cross-Links in Cotton Cellulose; Effects on Fabric Wrinkle Recovery (*Schwenker, Pacsu*) 797
Limdi, Kunjvihari M. Curing Swollen Cotton at High Temperature (*Valko*) 331
Lis, S. J. Thermal Conductivity of Nylon Parachute Fabrics Subjected to Compressional Stresses (*Engholm, Bambenek*) 24
Litav, Y. The Crimp of Cotton Fibers (*Alexander, Lewin, Peres, Shiloh*) 898
Lyons, W. James Fatigue in Textile Fibers. *Part I:* General Consideration; Fatiguing by Cyclic Tension: Instrumentation and Fatigue Lifetimes 448
Fatigue in Textile Fibers. *Part II:* Fatiguing in Cyclic Tension; Effects of Frequency and Stroke and Other Evaluations 553
Fatigue in Textile Fibers. *Part III:* Fatiguing by Biaxial Rotation 750

McAlister, Kenneth, C. Fiber Properties Responsible for Garment Comfort (*Mehrtens*) 658
McCune, Leroy K. HT-1 High-Temperature-Resistant Polyamide Fibers and Paper 762
Mack, Charles H. Reaction of Aryl Isocyanates with Cotton Cellulose. *Part I:* Variables in the Reaction using Phenyl Isocyanate (*Ellzey*) 1023
Reaction of Aryl Isocyanates with Cotton Cellulose. *Part II:* Textile Properties of Fabric Modified by Reaction with Phenyl Isocyanate (*Ellzey, Wade*) 1029
Mackay, B. H. A Comparison of the Absorption of Water into Wool Fibers by Various Techniques (*Watt*)—L 248
Drying of a Wool Fiber at 105° C: Vibroscope Determination—L 80
McPhee, J. R. Increasing the Felting Rate of Wool 14
McSherry, Wilbur F. Radiation-Induced Interaction of Styrene with Cotton (*Demint, Arthur, Markezich*) 918
Makinson, K. Rachel Studies of the Movement of Wool Fibers in Fabrics during Felting. *Part IV:* Quantitative Relations between Duration of Milling, Shrinkage, and Fiber Movements 364
Margeson, J. H. The Effect of Tension on the Properties of Resin-Treated Cotton Fabrics (*Hersh, Sookne*) 271
Mark, Melvin Torsional Energy in Yarns and Fabrics—L 81
Markezich, Anthony R. New Test Fabric for Tensile Determinations (*Brysson*)—L 615
Radiation-Induced Interaction of Styrene with Cotton (*Demint, Arthur, McSherry*) 918
Marsh, J. T. Assessment of Smooth Drying—L 79
Marsh, P. B. The Utilization of *Diplodia*-Damaged Boll-Rot Cotton. *Part I:* Effects on Yarn Properties and Spinning Efficiency (*Sands, Fiori, Groves*) 1013
Martin, A. R. The Influence of Calcium on the Adsorption of Sodium Dodecylbenzenesulfonate of Cotton (*Schwarz, Davis*) 1
Martin, E. V. Structure and Properties of a New Polyester Fiber 619
Martsch, R. J. Application of an Electronic Counter to Determine Fiber Fineness Distribution in Wool Top (*O'Connell*) 581
Mather, J. N. The Operating Principles of a Jute Sliver Thickness Detector 601
Matsunaga, Yoshiaki The Effect of Steaming on the Rate of Dyeing of Polyamide and Polyester Fibers (*Kato*)—L 522
Mazumdar, A. K. Dyeing and Hydrolytic Behavior of Jute Fiber during the Growth of the Plant (*Chatterjee*)—L 163
Mazzeno, Laurence W. Influence of Solvent Media upon Polymerization of a Silicone Alloy Water Repellant (*Conner, Reeves*) 598
Mehrtens, David G. Fiber Properties Responsible for Garment Comfort (*McAlister*) 658
Mehta, P. C. The Reaction of Dimethylol Urea with Cotton (*Mehta, Modi*)—L 77
Rot Resistance of PAN Grafted Cellulosic Fabrics (*Kulkarni*)—L 701
Mehta, R. D. The Reaction of Dimethylol Urea with Cotton (*Mehta, Modi*)—L 77
Meinhold, L. F. The Polymerization of Vinyl Monomers in Cellulosic Fibers (*Kaizerman, Mino*) 136
Menkart, J. The Longitudinal Swelling of Set Keratin Fibers (*Sokol*)—L 250

Merchant, V. B. Removal of Fiber Hooks by Roller Drafting (Reply to W. Nutter)—L . . . 431
Short Fibers in Cotton—L . . . 610
Theoretical Aspects of Hook Removal at Drafting Operations. *Part II:* The Influence of Changes in Draft Distribution on the Removal of Trailing and Leading Hooks . . . 805
Mereness, H. A. Effects of Preconditioning Humidity on the Equilibrium Regain of Various Fibers, in the Standard Atmosphere for Testing (*Scroggie, Cooper, Crary*) . . . 923
Mieszkis, K. W. Friction of Textile Yarns: A Comment on Terminology—L . . . 613
Miller, L. A. Wool Fabric Stabilization by Interfacial Polymerization. *Part III:* Polyurethanes (*Whitfield, Wasley*) . . . 743
Milligan, Brian Studies on Wool Yellowing. *Part III:* Sunlight Yellowing (*Tucker*) . . . 634
Mino, G. The Polymerization of Vinyl Monomers in Cellulosic Fibers (*Kaizerman, Meinhold*) . . . 136
Mitchell, Barbara W. The Effect of an Airborne Soil on the Photochemical Degradation of Wool (*Morris, Aas-Wang*) . . . 723
Mitchell, T. W. Torsional Rigidity of the Ortho- and Paracortex of Wool (*Andrews, Feughelman*)—L . . . 421
Mizell, Louis R. A Critical Study of Wool Carbonizing (*Davis, Oliva*) . . . 497
Modi, J. R. The Reaction of Dimethylol Urea with Cotton (*Mehta, Mehta*)—L . . . 77
Mølgaard, J. Hydrodynamic Lubrication of Yarns and Fibers—L . . . 612
Montgomery, Alan P. Studies in Adsorption. *Part XV:* Some Aspects of the Kinetics of Dyeing Gelatin and Wool (*Giles, Tolia*) . . . 99
Morgan, Henry M. Correlation of Molecular Orientation Measurements in Fibers by Optical Birefringence and Pulse Velocity Methods—L . . . 866
Morris, Mary Ann The Effect of an Airborne Soil on the Photochemical Degradation of Wool (*Mitchell, Aas-Wang*) . . . 723
Morrissey, J. M. X-Ray Diffraction Camera Film Holder—L . . . 1040
Mukhopadhyay, S. K. Relation between Quadratic (CV) and Linear (U) Irregularities in Jute Yarns (*Bandyopadhyay*)—L . . . 247

Nanal, S. Y. Validity of the Belt Equation for Cotton Fiber Friction (*Bhattacharya*)—L . . . 616
Niven, C. D. Measurements on the "Cooling-Time" Hot Plate in Wind—L . . . 958
A Simplified Hot Plate Apparatus . . . 890
Nordon, P. Some Torsional Properties of Wool Fibers (Correction, p. 1002) . . . 560
Nutter, W. Removal of Fiber Hooks by Roller Drafting—L . . . 430

O'Brien, S. J. Chemical Bonding and Reaction Rates of Wrinkle-Resistant Finishes on Cotton (*van Loo*) . . . 292
O'Connell, R. A. Application of an Electronic Counter to Determine Fiber Fineness Distribution in Wool Top (*Martsch*) . . . 581
Odell, F. A. Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part III:* Strain-Time-Position History in Yarns (*Jameson, Stewart, Petterson*)—L . . . 858
Okajima, Saburo Improvement of Rayon by Continuous High-Temperature Steaming. *Part I:* Degree of Swelling and Mechanical Properties (*Inoue, Yazawa, Kuwazuka*) . . . 843
Oliva, Edward C. A Critical Study of Wool Carbonizing (*Mizell, Davis*) . . . 497
Olofsson, B. Setting and Hygral Expansion of Wool Fabrics—L . . . 1037
Olsen, J. S. Friction of Textile Yarns [reply to K. W. Mieszkis] (*Tomlinson*)—L . . . 613
Orr, Rollin S. Crystallite Orientation and Spiral Structure of Cotton: Considerations for Measuring Crystallinity (*DeLuca*)—L . . . 243
Yarn Untwisting as a Rapid Test of Cotton Swelling in Various Reagents (*Carra, Tripp*)—L . . . 1041

Pacsu, Eugene Introduction of 6,6′-Disulfide Cross-Links into Cellulose (*Liftand*)—L . . . 170
Reaction of Diethyl Acetal with Cellulose in the Absence of Water (*Schwenker*)—L . . . 618
6,6′-Disulfide Cross-Links in Cotton Cellulose; Effects on Fabric Wrinkle Recovery (*Schwenker, Liftand*) . . . 797
Patil, N. B. X-Ray Measurements of Crystallinity and Crystallite Size in Swollen and Hydrolyzed Cottons (*Dweltz, Radhakrishnan*) . . . 460
Peres, H. The Crimp of Cotton Fibers (*Alexander, Levin, Litav, Shiloh*) . . . 898
Petersen, W. H. Oil and Water Repellent Fluorochemical Finishes for Cotton (*Grajeck*) . . . 320
Petterson, D. R. Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part III:* Strain-Time-Position History in Yarns (*Jameson, Stewart, Odell*)—L . . . 858
Pierce, A. G., Jr. Cross-Linking Cotton in the Peripheral Regions of the Fiber (*Frick, Tripp*)—L . . . 425
Pittman, Robert A. Oxyluminescence from Cotton Textiles (*Tripp*) . . . 1038
Platt, M. M. An Experimental Study of Tire Cord Fatigue (*Klein, Hamburger*) . . . 393
Pope, Clarence J. Snagging of Textile Fabrics; Comparison of Laboratory and Field Test Results (*Weiner*)—L . . . 350
Poulter, I. J. Aqueous Jet Scouring of Raw Wool. *Part I:* Factors Affecting Grease Removal (*Anderson*) . . . 387
Aqueous Jet Scouring of Raw Wool: A Reply: (*Anderson*)—L . . . 872
Powers, D. H., Jr. Thermodurable Textile Systems (*Coplan, Frecston*) . . . 777

Prakash, Jai Effect of Relative Humidity on the Bundle Strength at Zero and ⅛ Inch Gauge Lengths (*Iyengar*)—L . . . 954
Estimation of Floating Fiber Percent Using the Digital Fibrograph—L . . . 244
Pretka, John E. Studies of the Formation of Warp Streaks in Fabrics by Loom Reeds . . . 408
Prevorsek, D. C. A Microscopical Method for the Study of Free Thermal Shrinkage in Oriented Polymers (*Coe, Tobolsky*)—L . . . 960
Price, Barbara Comfort of Subjects Clothed in Cotton, Water Repellent Cotton, and Orlon Suite (*Galbraith, Worden, Fahnestock*) . . . 236
Pujal, M. A New Electronic Device for Measuring the Unevenness of the Card Web and for Nep Counting (*Barella, Viaplana*)—L . . . 428

Rader, Charles A. The Migration of Liquids in Textile Assemblies. *Part V:* Two-Component and Two-Phase Liquid Systems (*Schwartz*) . . . 140
Radhakrishnan, T. X-Ray Measurements of Crystallinity and Crystallite Size in Swollen and Hydrolyzed Cottons (*Patil, Dweltz*) . . . 460
Rebenfeld, L. Response of Cottons to Chemical Treatments. *Part IV:* Single-Fiber Resin Finishing . . . 154
Response of Cottons to Chemical Treatments. *Part V:* Effects of Tension During Single-Fiber Resin Finishing . . . 202
Reeves, Wilson A. Electronic Effects of Substituent Groups upon Acid Hydrolysis of Amido-Methylol Finishes on Cotton (*Vail, Frick*) . . . 305
Influence of Solvent Media Upon Polymerization of a Silicone Alloy Water Repellant (*Conner, Mazzeno*) . . . 598
The Treatment of Cotton with Formaldehyde in Calcium Chloride Solutions (*Chance, Leonard*) . . . 481
Reid, J. David Hydrolysis Resistance of Cross-Linking Finishes for Cotton (*Andrews, Arceneaux, Frick*) . . . 489
Oxidation of Partially Etherified Cottons with Nitrogen Dioxide (*Reinhardt, Fenner*) . . . 735
Reinhardt, Robert M. Oxidation of Partially Etherified Cottons with Nitrogen Dioxide (*Fenner, Reid*) . . . 735
Rigby, B. J. A Comparison of Some of the Mechanical Properties of Different Wools in Water—L . . . 1034
Robbins, Paul E. An Infrared Study of Cellobiose Derivatives (*Hall*)—L . . . 860
Roberts, S. Helen Geometry and Properties of Cotton Two-Bar Raschel Fabrics (*Fletcher*) . . . 173
Rogers, Morris R. The Necessity for Scouring the "Standard" Blue-Line Cotton Fabric (*Kaplan*)—L . . . 161
Rollins, Mary L. Microscopical Observations of Abrasion Phenomena in Cotton (*deGruy, Carra, Tripp*) . . . 873
Ross, Jack H. High-Temperature Fiber Research . . . 768
Ruppenicker, George F., Jr. Yarn and Fabric Properties and Processing Performance of Cotton Treated with a Cross-Linking Resin (*Brown, Hoffman*) . . . 516
Rutherford, Henry A. Activation Analysis in Textile Processing (*Armstrong, Walsh, Tessler*) . . . 728

Samson, A. Aqueous Jet Scouring of Raw Wool: A Comment (*Chaikin*)—L . . . 871
Sanders, John H. A Simple Method of Orienting and Trimming Fiber Specimens in an Embedding Medium—L . . . 433
Sands, Jack E. The Effect of the Short Fibers in a Cotton on Its Processing Efficiency and Product Quality. *Part IV:* Grey and Finished Fabrics (*Tallant, Fiori*) . . . 50
The Utilization of *Diplodia*-Damaged Boll-Rot Cotton. *Part I:* Effects on Yarn Properties and Spinning Efficiency (*Fiori, Groves, Marsh*) . . . 1013
Schlatter, Carl Friction Studies on Caprolan Filament Yarn (*Demas*) . . . 87
Schwartz, Anthony M. The Migration of Liquids in Textile Assemblies. *Part V:* Two-Component and Two-Phase Liquid Systems (*Rader*) . . . 140
Schwarz, W. J. The Influence of Calcium on the Adsorption of Sodium Dodecylbenzenesulfonate of Cotton (*Martin, Davis*) . . . 1
An Instrument for the Direct and Continuous Measuring of the Whiteness of Samples in Washing—L . . . 700
Schwenker, R. F., Jr. Reaction of Diethyl Acetal with Cellulose in the Absence of Water (*Pacsu*)—L . . . 618
6,6′-Disulfide Cross-Links in Cotton Cellulose; Effects on Fabric Wrinkle Recovery (*Liftand, Pacsu*) . . . 797
Scroggie, A. G. Effects of Preconditioning Humidity on the Equilibrium Regain of Various Fibers, in the Standard Atmosphere for Testing (*Mereness, Cooper, Crary*) . . . 923
Segal, Leon An X-Ray Diffractometer Specimen Holder for Wet Cellulosic Materials—L . . . 702
Sekido, M. Some Observations on the Adsorption of HCl by Nylon 6 (*Iijima*)—L . . . 784
Shepherd, Jacob V. Short Fiber Array Procedure—L . . . 77
Shet, R. T. Heterogeneous Acid Hydrolysis of Alpha-Cellulose from Sudanese Cotton (*Daruwalla*) . . . 942
Integral and Interval Sorption and Desorption of Water Vapor by Cellulose and Acetyl Cellulose (*Daruwalla*)—L . . . 165
Shibukawa, T. Effects of Annealing upon Shear Modulus and Density of Linear Polyethylene (*Gupta, Turner, Dillon, Tobolsky*)—L . . . 868
Temperature Dependence of Modulus, Density and Crystallinity of Linear Polyethylenes (*Gupta, Turner, Dillon, Tobolsky*) . . . 810
Temperature Dependence of Shear Modulus and Density of Nylon-6 (*Gupta, Turner, Dillon, Tobolsky*) . . . 1011

Temperature Dependence of Shear Modulus, Density, and Crystallinity of Isotactic Polypropylene (*Gupta, Turner, Dillon, Tobolsky*) . . . 1008

Shiloh, Miriam The Continuous Measurement of the Crimp Diameter of Textile Fibers—**L** . . . 698
The Crimp of Cotton Fibers (*Alexander, Lewin, Litav, Peres*) 898
The Recovery of Crimp of Wool Fibers (*Banbaji, Alexander, Lewin*) . . . 568

Short, Brant A. A Study on the Agglomeration, Deposition, and Removal Process of Clay Particles During Washing (*Tuzson*) 111

Shouse, Paul J. Stress–Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part IX:* Effect of Yarn Structure (*Smith, Blandford, Towne*) . . . 472

Simpson, Jack Comparison of Combing and Cutting Ratios as an Indication of Fiber Arrangement—**L** . . . 614

Smith, B. F. Determination of Cellulose in Textile Fibers (*Davison, Smith*) . . . 29

Smith, F. Determination of Cellulose in Textile Fibers (*Smith, Davison*) . . . 29

Smith, Jack C. Stress–Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VIII:* Shock Waves, Limiting Breaking Velocities, and Critical Velocities (*Blandford, Towne*) . . . 67
Stress–Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part IX:* Effect of Yarn Structure (*Blandford, Shouse, Towne*) . . . 472

Snaith, J. W. Permanent Set and Keratin Structure (*Feughelman, Haly*) . . . 913

Sokol, Phillip E. The Longitudinal Swelling of Set Keratin Fibers (*Menkart*)—**L** . . . 250

Sookne, Arnold M. The Effect of Tension on the Properties of Resin-Treated Cotton Fabrics (*Hersh, Margeson*) . . . 271
Fabric Construction for Wash-and-Wear Cottons (*Krasny, Stam*) . . . 258

Stam, Paul B. Fabric Construction for Wash-and-Wear Cottons (*Krasny, Sookne*) . . . 258

Statham, K. W. Tryptophan in Wool. *Part II:* The Tryptophan Content of Modified Wools (*Graham*) . . . 908

Steele, Richard The Effect of Relative Humidity on the Crease Recovery of Some Modified Rayon and Cotton Fabrics (*Gill*) 338

Stewart, G. M. Dynamic Distribution of Strain in Textile Materials under High-Speed Impact. *Part III:* Strain-Time-Position History in Yarns (*Jameson, Petterson, Odell*)—**L** 858

Sust, Antonio Cohesion Phenomena in Cotton Rovings and Yarns. *Part I:* General Study (*Barella*) . . . 217

Swami, H. S. Fabric Thickness with Varying Picks (*Bhattacharya*)—**L** . . . 161

Swanepoel, O. A. Supercontraction and Elongation of Modified Keratin Fibers in LiBr Solution (*Haly*) . . . 375

Szucht, Edward Some Effects of Hydrogen Bonds on the Elastic Recovery and Shape of Load–Elongation Curves of Wool Fibers 710

Tabor, David Hydrodynamic Lubrication of Yarns and Fibers [reply to J. Mølgaard]—**L** . . . 613

Tallant, John D. The Effect of the Short Fibers in a Cotton on Its Processing Efficiency and Product Quality. *Part IV:* Grey and Finished Fabrics (*Fiori, Sands*) . . . 50
Short Fibers in Cotton [reply to V. B. Merchant] (*Fiori*)—**L** 610
Use of the Immersion Technique for Measuring the Volume of Cotton Yarn Packages (*Groves, Fiori*)—**L** . . . 432

Tashlick, I. Application and Properties of a Durable Wash-and-Wear Finish for Cotton (*Foster*) . . . 574

Tesoro, Giuliana C. Cross-Linking of Cellulose with Polyfunctional Sulfones under Anhydrous Conditions . . . 189

Teszler, Otto Activation Analysis in Textile Processing (*Armstrong, Walsh, Rutherford*) . . . 728

Thomas, Edward J. Ultraviolet Microscopy of Fibers and Polymers (*Felton, Clark*) . . . 57

Thorsen, Walter J. The Spectral Distribution of Sound Produced by Fibers and Fabrics in Friction. *Part II:* Variations with Fabric Hand, Fuzziness, Wrinkledness, and Textile Mechanical and Finishing Processes . . . 670

Tobolsky, Arthur V. Crystallite Size and Non-Flow Shrink Ratio in Highly Oriented Fibers—**L** . . . 252
Effects of Annealing upon Shear Modulus and Density of Linear Polyethylene (*Shibukawa, Gupta, Turner, Dillon*)—**L** . . . 868
A Microscopical Method for the Study of Free Thermal Shrinkage in Oriented Polymers (*Prevorsek, Coe*)—**L** . . . 960
Molecular Dimensions in Crystalline Polymers (*Gupta*)—**L** 85
Temperature Dependence of Modulus, Density and Crystallinity of Linear Polyethylenes (*Shibukawa, Gupta, Turner, Dillon*) 810
Temperature Dependence of Shear Modulus and Density of Nylon-6 (*Shibukawa, Gupta, Turner, Dillon*) . . . 1011
Temperature Dependence of Shear Modulus, Density, and Crystallinity of Isotactic Polypropylene (*Shibukawa, Gupta, Turner, Dillon*) . . . 1008

Tolia, Arun H. Studies in Adsorption. *Part XV:* Some Aspects of the Kinetics of Dyeing Gelatin and Wool (*Giles, Montgomery*) . . . 99

Towne, Kathryn M. Stress–Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part VIII:* Shock Waves, Limiting Breaking Velocities, and Critical Velocities (*Smith, Blandford*) . . . 67
Stress–Strain Relationships in Yarns Subjected to Rapid Impact Loading. *Part IX:* Effect of Yarn Structure (*Smith, Blandford, Shouse*) . . . 472

Tripp, Verne W. Cross-Linking Cotton in the Peripheral Regions of the Fiber (*Frick, Pierce*)—**L** . . . 425
Microscopical Observations of Abrasion Phenomena in Cotton (*deGruy, Carra, Rollins*) . . . 873
Oxyluminescence from Cotton Textiles (*Pittman*)—**L** . . . 1038
Yarn Untwisting as a Rapid Test of Cotton Swelling in Various Reagents (*Carra, Orr*)—**L** . . . 1041

Tucker, Daryl J. Studies on Wool Yellowing. *Part III:* Sunlight Yellowing (*Milligan*) . . . 634

Turner, R. Effects of Annealing upon Shear Modulus and Density of Linear Polyethylene (*Shibukawa, Gupta, Dillon, Tobolsky*)—**L** . . . 868
Temperature Dependence of Modulus, Density and Crystallinity of Linear Polyethylenes (*Shibukawa, Gupta, Dillon, Tobolsky*) . . . 810
Temperature Dependence of Shear Modulus and Density of Nylon-6 (*Shibukawa, Gupta, Dillon, Tobolsky*) . . . 1011
Temperature Dependence of Shear Modulus, Density, and Crystallinity of Isotactic Polypropylene (*Shibukawa, Gupta, Dillon, Tobolsky*) . . . 1008

Tuzson, John A Study on the Agglomeration, Deposition, and Removal Process of Clay Particles During Washing (*Short*) 111

Vail, Sidney L. Electronic Effects of Substituent Groups upon Acid Hydrolysis of Amido-Methylol Finishes on Cotton (*Reeves, Frick*) . . . 305

Valko, Emery I. Curing Swollen Cotton at High Temperature (*Limdi*) . . . 331

van Loo, W. J., Jr. Chemical Bonding and Reaction Rates of Wrinkle-Resistant Finishes on Cotton (*O'Brien*) . . . 292

Vermaas, D. Diffusion Processes in the Spinning Viscose Filament 353

Viaplana, A. A New Electronic Device for Measuring the Unevenness of the Card Web and for Nep Counting (*Barella, Pujal*)—**L** . . . 428

Vidiella, J. E. The Effect of Speed of Drafting, in Terms of Spindle Speed, on Skein Breaking Strength of Cotton Yarns Spun on the Double-Apron System (*Audivert*) . . . 652

Wade, Clinton P. Reaction of Aryl Isocyanates with Cotton Cellulose. *Part II:* Textile Properties of Fabric Modified by Reaction with Phenyl Isocyanate (*Ellzey, Mack*) . . . 1029

Wakankar, V. A. The Effect of Fiber Configuration in Feed on Comber Waste (*Bhaduri*) . . . 641
Fiber Configuration in Card Slivers with Different Types of Feed (*Bhaduri*)—**L** . . . 167

Walsh, William K. Activation Analysis in Textile Processing (*Armstrong, Teszler, Rutherford*) . . . 728

Wasley, W. L. Wool Fabric Stabilization by Interfacial Polymerization. *Part III:* Polyurethanes (*Whitfield, Miller*) . . 743

Ward, I. M. Correction [**31**, 650 (1961)] . . . 98

Watt, I. C. A Comparison of the Absorption of Water into Wool Fibers by Various Techniques (*Mackay*)—**L** . . . 248
The Equilibrium Water Content of Wool Samples on Absorption of Water Vapor—**L** . . . 1035

Weickert, Bernhard Methods for Measuring Static Strains in Automobile Tires . . . 705

Weiner, Louis I. A Note on the Influence of Finish on the Flex-Abrasion Resistance of Cotton Sateen—**L** . . . 524
Snagging of Textile Fabrics; Comparison of Laboratory and Field Test Results (*Pope*)—**L** . . . 350

Weissbein, Leonard The Use of Phototropic Camouflage Colorants in Combat Clothing to Protect against Nuclear Flash Radiation . . . Dec.

Werden, Jane E. Comfort of Subjects Clothed in Cotton, Water Repellent Cotton, and Orlon Suits (*Galbraith, Fahnestock, Price*) . . . 236

West, G. W. The Physical Properties of Wool Fibers at Various Regains. *Part VIII:* N.M.R. Absorption by Water in Wool during Changes of Water Content (*Haly, Feughelman*) . . . 971

Whiteley, K. J. Creep of Wool Fibers. *Part I:* The Measurement of Creep (*Balasubramaniam*) . . . 381
The Interrelationships of the Mechanical Properties of Wool Keratin. *Part I:* Modified Keratins . . . 123

Whitfield, R. E. Wool Fabric Stabilization by Interfacial Polymerization. *Part III:* Polyurethanes (*Miller, Wasley*) . . 743

Williams, V. A. Differential Staining and Liquid Sorption Rates of Cortex Segments of Wool—**L** . . . 83
Wool Shrinkproofing Studies. *Part I:* The Influence of Inorganic Salts on the Reaction of Potassium Permanganate with Wool in Neutral Solution . . . 977

Wilson, Robert H. A Note on Skin Tests of Flame-Retardant Materials—**L** . . . 424

Windle, J. J. Naturally Occurring Electron Paramagnetic Resonance in Wool . . . 963

Woodcock, A. H. Moisture Transfer in Textile Systems. *Part I* 628
Moisture Transfer in Textile Systems, *Part II* . . . 719

Yazawa, Masahide Improvement of Rayon by Continuous High-Temperature Steaming. *Part I:* Degree of Swelling and Mechanical Properties (*Okajima, Inoue, Kawazuka*) . . . 843

Youatt, G. The *S* Factor in the Enzymic Hydrolysis of Cellulose 158

Zurek, Witold Fiber Length Distribution as a Function of the Number of Fibers in a Cross Section of a Yarn . . . 255

Zahn, H. The Influence of Weathering on Some Chemical and Physical Properties of Wool Fibers, with Particular Reference to Felting (*Blankenburg*) . . . 986

SUBJECT INDEX

Abrasion, see **Wear**
Acrylic Fibers, see **Man-made fibers**
Activation Analysis, see **Irradiation**
Apparatus, see **Testing apparatus**

Bast Fibers
Jute: crimp/sodium hydroxide treatment *Chakravarty*—**L** . . . 525
Jute: growth stage/dyeing and hydrolytic behavior *Chatterjee, Mazumdar*—**L** . . . 163
Jute: lignin in hydrolysis of fiber *Chatterjee*—**L** . . . 245
Jute: micro-organisms/degradation: microscopical study *Basu, Ghose* . . . 677
Jute: micro-organisms and their enzymes/structural changes in the fiber *Basu, Ghose* . . . 932
Jute: moisture sorption kinetics *Chatterjee*—**L** . . . 694
Jute: sliver thickness detector: operating principles *Mather* . . . 601
Jute yarns: quadratic (CV)/linear (U) irregularities *Mukhopadhyay, Bandyopadhyay*—**L** . . . 247
mesta: spinning/batching period *Chatterji, Bandyopadhyay*—**L** 870
Blend Testing, see **Testing apparatus and procedures**
Blends, see **Yarns**
Bulk Yarns, see **Cotton yarns**

Carbonizing, see **Wool**
Carding, see **Textile processing**
Cellulose
cellobiose derivatives: infrared study *Hall, Robbins*—**L** . . . 860
cotton: cross-linking: in peripheral regions of the fiber *Frick, Pierce, Tripp*—**L** . . . 425
cotton: cross-linking finishes: hydrolysis resistance *Andrews, Arceneaux, Frick, Reid* . . . 489
cotton: cross-linking with 6,6'disulfide/wrinkle recovery *Schwenker, Lifland, Pacsu* . . . 797
cotton: formaldehyde, equilibrium reaction at 30° C *Datye* . . . 883
cotton: formaldehyde, reaction kinetics *Datye* . . . 825
cotton: heterogeneous acid hydrolysis of α-cellulose *Daruwalla, Shet* . . . 942
cross-linking: reaction rates and chemical bonding *O'Brien, van Loo* . . . 292
cross-linking with polyfunctional sulfones under anhydrous conditions *Tesoro* . . . 189
decomposition by *Paecilomyces elegans Bose*—**L** . . . 426
determination in textile fibers *Smith, Davison, Smith* . . . 29
diethyl formal reaction in absence of water *Schwenker, Pacsu*—**L** . . . 618
disulfide cross-links introduced—**L** *Lifland, Pacsu* . . . 170
enzymic hydrolysis/S factor *Youatt* . . . 158
modified rayon and cotton fabrics: RH/crease recovery *Gill, Steele* . . . 338
sorption and desorption (integral and interval) of water vapor *Daruwalla, Shet*—**L** . . . 165
Chemicals, see under **Cotton, chemically treated, Wool, chemically treated, Fungicides, Waterproofing, etc.**
Clothing
combat: phototropic camouflage colorants to protect against nuclear flash radiation *Weissbein* . . . 998
comfort/fiber properties (Orlon, nylon, rayon staple, cotton) *Mehrtens, McAlister* . . . 638
comfort of cotton, water repellent cotton, and Orlon suits *Galbraith, Werden, Fahnestock, Price* . . . 236
insulation of textiles measured with "cooling-time" hot plate *Niven* . . . 890
—— measured in wind *Niven*—**L** . . . 958
moisture permeability index/heat transfer characteristics of fabric systems *Woodcock* . . . 628
thermostated hot plate to measure rates of heat transfer before, during, and after sweating *Woodcock* . . . 719
Combing, see **Textile processing**
Cotton, see **Cellulose, Cotton, chemically treated, Cotton fibers, Cotton quality, Cotton yarn, Fiber: yarn: fabric relationships, Moisture phenomena, Testing apparatus and procedures, Textile processing**
Cotton, Chemically Treated
amido-methylol finishes: electronic effects of substituent groups upon acid hydrolysis *Reeves, Vail, Frick* . . . 305
APO finished: cause of bleach-induced yellowing *LeBlanc, Ingram* . . . 284
chemical bonding and reaction rates *O'Brien, van Loo* . . . 292
curing swollen cotton at high temperatures *Valko, Limdi* . . . 331
diethyl formal: reaction with cellulose in absence of water *Schwenker, Pacsu*—**L** . . . 618
dimethylol urea: reply to Steele [31, 489 (1961)] *Mehta, Mehta, Modi*—**L** . . . 77
disulfide cross-links/crease recovery *Lifland, Pacsu*—**L** . . . 171
disulfide cross-links/wrinkle recovery *Schwenker, Lifland, Pacsu* . . . 797
formaldehyde in calcium chloride solutions *Chance, Leonard, Reeves* . . . 481
formaldehyde: extent of hydrolysis *Arceneaux, Fujimoto*—**L** 521
formaldehyde: rapid reaction in peripheral regions of fiber *Frick, Pierce, Tripp*—**L** . . . 425
gamma radiation/intermolecular bonding *Arthur, Demint* . . . 108
hydrolysis resistance of cross-linking finishes *Andrews, Arceneaux, Frick, Reid* . . . 489
hydrolyzed and swollen: x-ray measurements of crystallinity, crystallite size *Patil, Dweltz, Radhakrishnan* . . . 460
oxidation of partially etherified cottons with nitrogen dioxide *Reinhardt, Fenner, Reid* . . . 735
oxyluminescence of modified and unmodified cotton textiles *Pittman, Tripp*—**L** . . . 1038
phenyl isocyanate/fabric properties *Elizey, Wade, Mack* . . . 1029
phenyl isocyanate: variables in the reaction *Elizey, Mack* . . . 1023
resin finishing: tension on single fibers/fibrillar orientation *Rebenfeld* . . . 202
resin finishing (single-fiber) under controlled tension/fiber properties *Rebenfeld* . . . 154
resin-treated: yarn and fabric properties and processing performance *Ruppenicker, Brown, Hoffman* . . . 516
resin-treated fabrics: tension/properties *Hersh, Margeson, Sookne* . . . 271
stretch and bulked yarns and fabrics *Fisher* . . . 313
styrene: radiation-induced interaction with cotton *Demint, Arthur, Markezich, McSherry* . . . 918
sulfone [bis (β-hydroxyethyl)]: application and properties of durable wash-and-wear finish *Foster, Tashlick* . . . 574
sulfones (polyfunctional) under anhydrous conditions for cross-linking *Tesoro* . . . 189
vinyl monomers polymerized in cellulosic fibers *Kaizerman, Mino, Meinkold* . . . 136
vinyl monomers polymerized in cotton fabrics/rot and mildew proofing *Kulkarni, Mehta*—**L** . . . 701
wash-and-wear/fabric construction *Krasny, Sookne, Stam* . . . 258
Cotton Fibers
bundle strength/relative humidity *Prakash, Iyengar*—**L** . . . 954
configuration, see also **Crimp**
configuration: combing and cutting ratios: comparison *Simpson*—**L** . . . 615
configuration in card sliver/different types of feed *Wakankar, Bhaduri*—**L** . . . 167
configuration in feed/comber waste *Wakankar, Bhaduri* . . . 641
configuration: hook removal/draft distribution *Merchant* . . . 805
configuration: hook removal/drafting parameters *Ghosh, Bhaduri*—**L** . . . 864
configuration: hook removal in roller drafting *Nutter*—**L** . . . 430
—— *Merchant*—**L** . . . 431
crimp *Alexander, Lewin, Litav, Peres, Shiloh* . . . 989
short fiber content/processing efficiency and product quality: grey and finished fabrics *Tallant, Fiori, Sands* . . . 50
short fiber content: effect in processing *Merchant* . . . 610
—— *Tallant, Fiori* . . . 610
Cotton Quality
Cavitoma damage: benzidine solution test for detection and evaluation of damage *Andrews, Hessler*—**L** . . . 862
Diplodia-damaged cotton/yarn properties, spinning efficiency *Sands, Fiori, Groves, Marsh* . . . 1013
50-gram spinning test: development and use *Landstreet, Ewald, Hutchens* . . . 665
short fiber array procedure *Shepherd*—**L** . . . 77
Cotton Yarn
bulked and stretch yarns and fabrics *Fisher* . . . 313
cohesion phenomena *Barella, Sust* . . . 217
yarn packages: immersion technique for measuring volume *Tallant, Groves, Fiori*—**L** . . . 432
Crease Resistance and Creaseproofing
assessment of smooth drying *Marsh*—**L** . . . 79
cotton: bis(β-hydroxyethyl) sulfone as durable wash-and-wear finish: application, properties *Foster, Tashlick* . . . 574
cotton: bis(β-hydroxyethyl) sulfones applied under anhydrous conditions: wet and dry crease recovery *Tesoro* . . . 189
cotton: chemical bonding and reaction rates of wrinkle-resistant finishes *O'Brien, van Loo* . . . 292
cotton: fabric construction for wash-and-wear *Krasny, Sookne, Stam* . . . 258
cotton; high temperature cure in swollen state *Valko, Limdi* 331
modified rayon and cotton fabrics: crease recovery/RH *Gill, Steele* . . . 338
Crimp
crimp diameter of textile fibers: continuous measurement *Shiloh*—**L** . . . 698
in cotton fibers *Alexander, Lewin, Litav, Peres, Shiloh* . . . 989
natural crimp of fiber: mechanical principles *Brand, Backer* 39
recovery in wool *Banbaji, Alexander, Shiloh, Lewin* . . . 568
Cross-Linking, see **Cellulose, Cotton, chemically treated**

Detergents, see **Laundering**
Deterioration of Materials, see **Microbiological degradation, Photochemical degradation, Wear**
Drafting, see **Textile processing**
Dyeing (see also **Dyes**)
gelatin and wool: kinetics of dyeing *Giles, Montgomery, Tolia* 99
polyamide and polyester fibers: steaming/rate of dyeing *Matsunaga, Kato*—**L** . . . 522

Dyes (see also **Dyeing**)
phototropic camouflage colorants in combat clothing to protect against nuclear flash radiation *Weissbein* 998
sulfonated azo and dye-metal complexes: adsorption by gelatin and wool *Giles, Montgomery, Tolia* 99
water-soluble: methods of purifying and analyzing: review *Giles, Greczek* 506

Fabric Geometry
cotton: fabric construction for wash-and-wear *Krasny, Sookne, Stam* 258
cotton two-bar raschel: geometry/properties *Fletcher, Roberts* 173
thickness/varying picks *Bhattacharya, Swami*—**L** 161
torsional energy in yarns and fabrics *Mark*—**L** 81
Fabric Testing (see also **Wear**)
determination of cellulose in fibers: quantitative colorimetric method *Smith, Davison, Smith* 29
test fabric for tensile determinations *Bryson, Markezich*—**L** 615
Fabrics, see **Fabric geometry, Fabric testing, Fiber:yarn: fabric relationships, Knit fabrics, Wool fabrics, Wear**
Fatigue
textile fibers: biaxial rotation: instrumentation, mechanical properties, microscopic examination *Lyons* 750
textile fibers: cyclic tension: frequency and stroke, microscopic examination *Lyons* 553
textile fibers: cyclic tension: instrumentation, lifetimes *Lyons* 448
tire cords: fleet tested and laboratory tested *Klein, Platt, Hamburger* 393
Felting
wool fabrics: duration of milling/shrinkage/fiber movements *Makinson* 364
wool fabrics: treatments to increase and decrease rate *McPhee* 14
wool fibers: weathering/chemical and physical properties *Zahn, Blankenburg* 986
Fiber:Yarn:Fabric Relationships
cotton: cohesion phenomena in rovings and yarns *Barella, Sust* 217
cotton: resin cross-linked yarn and fabric properties and processing performance *Ruppenicker, Brown, Hoffman* 516
cotton: short fiber content/processing efficiency and product quality of grey and finished fabrics *Tallant, Fiori, Sands* . . 50
number of fibers in yarn cross section/fiber length distribution *Zurek* 255
Fibers (see also **Bast fibers, Cotton fibers, Keratin, Man-made fibers, Rayon, Wool fibers**)
crimp, natural: mechanical principles *Brand, Backer* 39
length distribution in yarn/number of fibers in cross section *Zurek* 255
molecular dimensions of polymer chains in unoriented and partially oriented crystalline polymers *Tobolsky, Gupta*—**L** 85
oriented: crystallite size and non-flow shrink ratio *Tobolsky*—**L** 252
thermodurable polyamide fibers *McCune* 762
thermodurable: research *Ross* 768
viscose: skin formation/zinc ions in spinbath *Vermaas* 353
Finishing, see **Cotton, chemically treated, Crease resistance and creaseproofing, Proofing, Water resistance and waterproofing, Wool, chemically treated**
Friction
cotton fiber: validity of belt equation *Nanal, Bhattacharya*—**L** 616
hydrodynamic lubrication of yarns and fibers *Molgaard*—**L** 612
—— *Tabor*—**L** 613
spectral distribution of sound produced by fibers and fabrics in friction: variations with hand, fuzziness, wrinkledness, finish, mechanical processing *Thorsen* 670
textile yarns:terminology *Mieszkis*—**L** 613
—— *Fort, Olsen*—**L** 613
yarn-to-metal and yarn-to-yarn/composition and amount of finish, yarn speed, and pin characteristics *Schlatter, Demas* 87
Fungicides
minimal concentrations: soil burial tests *Darby, Kempton* 548

Gamma Radiation, see **Irradiation**

Heat Phenomena
curing swollen cotton at high temperatures *Valko, Limdi* 331
high-temperature fiber research *Ross* 768
high-temperature fibers: polyamide fibers and paper *McCune* 762
high-temperature steaming/improvement of rayon (swelling, mechanical properties) *Okajima, Inoue, Yazawa, Kuwazuka* 843
oxyluminescence of modified and unmodified cotton textiles *Pittman, Tripp*—**L** 1038
thermal conductivity of nylon parachute fabrics under compressional stresses *Lis, Engholm, Bambenek* 24
thermal diffractograms of cellulosic compounds *Creely, Conrad* 184
thermodurable textile systems *Coplan, Freeston, Powers* 777
Humidity, see **Moisture phenomena**

Instrumentation, see **Testing apparatus**
Irradiation
activation analysis (neutron) in textile processing *Armstrong, Walsh, Tessler, Rutherford* 728
gamma: energy of activation of viscous flow for dilute solutions of irradiated cottons *Arthur, Demint* 108
gamma: radiative degradation of nylon 66 shown with polarizing microscope *Hargreaves*—**L** 784
gamma: radiation-induced interaction of styrene with cotton *Demint, Arthur, Markezich, McSherry* 918

Jute, see **Bast fibers**

Keratin (see also **Wool fibers**)
human hair: set/longitudinal swelling *Menkart, Sokol*—**L** . . 250
permanent set and keratin structure *Feughelman, Haly, Snaith* 913
rabbit hair: axial nonuniformity of keratinization *de la Burde*—**L** 422
supercontraction and elongation of modified fibers in LiBr solution *Haly, Swanepoel* 375
Knit Fabrics
cotton two-bar raschel: geometry, properties *Fletcher, Roberts* 173

Laundering
agglomeration, deposition, removal process of clay particles *Tuzson, Short* 111
cotton: calcium/adsorption of sodium dodecylbenzenesulfonate by cotton *Schwarz, Martin, Davis* 1
whiteness of samples in washing: instrument for direct and continuous measurement *Schwarz*—**L** 700

Man-Made Fibers
acrylic: fine structure *Craig, Knudsen, Holland* 435
fatigue of acrylic and viscose fibers in cyclic tension *Lyons* . . 448
—— *Lyons* 553
fatigue of nylon fibers in biaxial rotation *Lyons* 750
high-temperature fibers in thermodurable textile systems *Coplan, Freeston, Powers* 777
high-temperature fibers: HT1 polyamide fibers and paper *McCune* 762
high-temperature fibers: research *Ross* 768
isotactic polypropylene: temperature/shear modulus, density, crystallinity *Shibukawa, Gupta, Turner, Dillon, Tobolsky* . . 1008
linear polyethylenes: annealing/shear modulus and density *Shibukawa, Gupta, Turner, Dillon, Tobolsky*—**L** 868
linear polyethylenes: temperature/shear modulus, density, crystallinity *Shibukawa, Gupta, Turner, Dillon, Tobolsky* . . . 810
"Lycra" staple blends: route to elasticity *Hicks* 791
nylon: photodegradation revealed by microscopy *Kato* 181
nylon: thermal conductivity of parachute fabrics under compressional stresses *Lis, Engholm, Bambenek* 24
nylon 6: adsorption of HCl *Iijima, Sekido*—**L** 784
nylon 6: skin and core staining technique *Kato*—**L** 695
nylon 6: temperature/shear modulus and density *Shibukawa, Gupta, Turner, Dillon, Tobolsky* 1011
nylon 66: free thermal shrinkage *Prevorsek, Coe, Tobolsky*—**L** 960
nylon 66: radiative degradation shown with polarizing microscope *Hargreaves*—**L** 784
nylon yarn: regression analysis applied to an equation of state *Ames* 8
Orlon: comfort of suits as compared to cotton and water repellent cotton *Galbraith, Werden, Fahnestock, Price* 236
polyester ("Kodel") fiber: structure, properties *Martin* 619
polyester: polarographic determination of isophthalic acid in presence of terephthalic acid *Benišek* 539
polyethylene fibers: free thermal shrinkage *Prevorsek, Coe, Tobolsky*—**L** 960
polyethylene terephthalate filaments: measurement of molecular orientation by x-ray diffraction *Farrow, Bagley* 587
polypropylene: solvent for use in analysis of fiber mixtures *Graliński*—**L** 170
polypropylene ("Herculon"): characteristics *Hooper* 529
polyvinyl chloride: effects of negative ions *Froger*—**L** . . . 168
spinneret hole length/fiber diameter: measuring polymer solution inhomogeneities *Bostwick* 819
Mesta, see **Bast fibers**
Microbiological Degradation
cellulose by *Paecilomyces elegans Bose*—**L** 426
Diplodia-damaged cotton/yarn properties, spinning efficiency *Sands, Fiori, Groves, Marsh* 1013
jute: microscopical study *Basu, Ghose* 677
jute fiber: structural changes/micro-organisms and their enzymes *Basu, Ghose* 932
Microscopy
abrasion phenomena in cotton observed *deGruy, Carra, Tripp, Rollins* 873
degradation of jute fiber by micro-organisms *Basu, Ghose* . . 677
free thermal shrinkage: method for studying in oriented polymer fibers *Prevorsek, Coe, Tobolsky* 960
orienting and trimming fiber specimens in an embedding medium *Sanders*—**L** 433
photodegradation of nylon 6 filaments: technique for revealing *Kato* 181
polarizing microscope: radiative degradation of nylon 66 filaments shown *Hargreaves*—**L** 784
staining technique: differentiation of skin and core of nylon 6 yarns *Kato*—**L** 695
structural changes in jute fiber/micro-organisms *Basu, Ghose* 932
ultraviolet: fibers and polymers *Felton, Thomas, Clark* . . . 57
Moisture Phenomena
absorption of water into wool fibers measured by different techniques *Mackay, Watt*—**L** 248
equilibrium water content of wool samples on absorption of water vapor *Watt*—**L** 1035
hygral expansion/setting: wool fabrics *Olofsson*—**L** 1037
—— *Baird* 1037
kinetics of moisture sorption: jute and its constituents *Chatterjee*—**L** 694

mechanical weakening in stretched wool fiber during moisture sorption *Feughelman*—L . . . 788
migration of two-component and two-phase liquid systems in textile assemblies *Rader, Schwartz* . . . 140
moisture swelling (longitudinal) of set keratin fibers *Menkart, Sokol*—L . . . 250
moisture swelling properties of set keratin fiber *Feughelman, Haly, Snaith* . . . 913
moisture transfer in textile systems *Woodcock* . . . 628
—— *Woodcock* . . . 719
preconditioning humidity/equilibrium regain of fibers in standard atmosphere *Scroggie, Mereness, Cooper, Crary* . . . 923
relative humidity/crease recovery in modified rayons and cottons *Gill, Steele* . . . 338
relative humidity and cotton spinning *Gulati* . . . 350
sorption and desorption (integral and interval) of water vapor by cellulose and acetyl cellulose *Daruwalla, Shet*—L . . . 165
wool regain physical properties: binding of water in keratin *Feughelman, Haly* . . . 966
wool regain/physical properties: mechanism of stress relaxation and length recovery *Feughelman, Haly* . . . 227
wool regain/physical properties: n.m.r. absorption by water in wool during changes of water content *Haly, West, Feughelman* 971
wools in water: comparison of mechanical properties *Rigby*—L 1034

Nonwoven Fabrics, see **Paper**
Nuclear Magnetic Resonance
absorption by water in wool during changes of water content *Haly, West, Feughelman* . . . 971
Nylon, see **Man-made fibers**

Paper
high-temperature-resistant polyamide paper (HT1) *McCune* 762
Photochemical Degradation
nylon 6 filaments: microscopy *Kato* . . . 181
wool: effect of airborne soil *Morris, Mitchell, Aas-Wang* . . . 723
wool: yellowing of fabrics/sunlight *Milligan, Tucker* . . . 634
Proofing (see also **Water resistance and waterproofing**)
flame retardants: skin tests *Wilson*—L . . . 424
oil repellent fluorochemical finishes for cotton *Grajeck, Petersen* . . . 320
rot and mildew resistance: polymerization of vinyl monomers in cellulosic fibers *Kaizerman, Mino, Meinhold* . . . 136
rot resistance of PAN grafted cellulosic fabrics *Kulkarni, Mehta*—L . . . 701

Radiation, see **Irradiation, Photochemical degradation**
Radioactive Tracers (see also **Irradiation, activation analysis**)
in cotton: influence of calcium on adsorption of sodium dodecylbenzenesulfonate *Schwarz, Martin, Davis* . . . 1
Rayon
diffusion processes in the spinning viscose filament *Vermaas* 353
fatigue of viscose fibers in cyclic tension *Lyons* . . . 448
—— *Lyons* . . . 553
high-temperature steaming/degree of swelling and mechanical properties *Okajima, Inoue, Yazawa, Kuwazuka* . . . 843
modified: RH/crease recovery *Gill, Steele* . . . 338
polymerization of vinyl monomers within fibers of viscose rayon *Kaizerman, Mino, Meinhold* . . . 136
Resin Finishing, see **Cotton, chemically treated**

Scouring, see **Wool**
Shrinkproofing (see also **Wool, chemically treated**)
wool: potassium permanganate/inorganic salts *Williams* . . . 977
Spectrum Analysis
copper (micro-amounts) in textiles: critical comparison of methods of determination *Kempton, Greenberger, Kaplan* . . . 128
infrared study of cellobiose derivatives *Hall, Robbins*—L . . . 860
Soil Resistance, see **Proofing**
Spinning, see **Textile processing**

Testing Apparatus and Procedures (see also **Yarn testing**)
blend testing: colorimetric method, quantitative, for determining cellulose in textile fibers *Smith, Davison, Smith* . . . 29
blend testing: solvent for polypropylene fiber *Galiński*—L 170
camera film holder for x-ray diffraction cameras *Morrissey*—L 1040
Cavitoma damage: benzidine solution test *Andrews, Hessler*—L 862
cotton swelling tested by yarn untwisting *Carra, Tripp, Orr*—L 1041
cotton yarn packages: immersion technique for measuring volume *Tallant, Groves, Fiori*—L . . . 432
digital fibrograph: estimation of floating fiber percentage *Prakash*—L . . . 244
electronic counter to determine fiber fineness distribution in wool top *O'Connell, Martsch* . . . 581
equilibrium regain of fibers in the standard atmosphere for testing: effects of preconditioning *Scroggie, Mereness, Cooper, Crary* . . . 923
fatigue in textile fibers: cyclic tension: instrumentation, lifetimes *Lyons* . . . 448
50-gram spinning test: development and use in cotton-quality evaluation *Landstreet, Ewald, Hutchens* . . . 665
fungicide testing: necessity for scouring "standard" blue-line cotton fabric *Rogers, Kaplan*—L . . . 161
garment comfort/fiber properties: subjective tests/prediction by objective tests *Mehrtens, McAlister* . . . 658
insulation of clothing/permeability index: theory *Woodcock* 628
insulation of clothing/permeability index: thermostated hot plate *Woodcock* . . . 719
insulation of textiles: measured by "cooling-time" hot plate *Niven* . . . 890
—— measurements in wind *Niven*—L . . . 958
jute sliver thickness detector: operating principles *Mather* 601
molecular orientation measurements in fibers: comparison of optical birefringence and pulse velocity methods *Morgan*—L . . . 866
servo-densitometer for examining x-ray patterns of cotton fibers *Krowicki, Ewald* . . . 815
short fiber array procedure for cotton *Shepherd*—L . . . 77
spectrophotometric determination of cooper in textiles: comparison of methods *Kempton, Greenberger, Kaplan* . . . 128
test fabric for tensile determinations *Bryston, Markezich*—L 615
unevenness of card web and neps: electronic measuring device *Barella, Pujal, Viaplana*—L . . . 428
water absorption into wool fibers: comparison of techniques of measuring *Mackay, Watt*—L . . . 248
whiteness of samples in washing: instrument for direct and continuous measurement *Schwarz*—L . . . 700
Textile Processing
apron drafting/upgrading *Balasubramanian, Iyengar*—L . . . 957
card web: electronic device for measuring unevenness and neps *Barella, Pujal, Viaplana*—L . . . 428
cotton: draft distribution/removal of hooks *Merchant* . . . 805
cotton: drafting parameters/hook removal *Ghosh, Bhaduri*—L 864
cotton: drafting (roller): removal of fiber hooks *Nutter*—L 430
—— *Merchant*—L . . . 431
cotton: drafting speed (spindle speed)/skein breaking strength *Audivert, Vidiella* . . . 652
cotton: fiber configuration in card sliver/different types of feed *Wakankar, Bhaduri*—L . . . 167
cotton: fiber configuration in feed/comber waste *Wakankar, Bhaduri* . . . 641
cotton: short fiber content/processing *Merchant*—L . . . 610
—— *Tallant, Fiori*—L . . . 610
cotton rovings and yarns: cohesion phenomena *Barella, Sust* . . . 217
cotton spinning/relative humidity *Gulati* . . . 350
reciprocating yarn traverses: power requirements *Heberling* . . . 211
weaving: warp streaks formed by loom reeds *Pretka* . . . 408
Thermal Effects, see **Heat phenomena**
Tire Cords
fatigue: fleet tests and laboratory tests *Klein, Platt, Hamburger* 393
static strains in automobile tires: methods of measuring *Weickert* 705

Ultraviolet Microscopy, see **Microscopy**

Wash-and-wear, see **Crease resistance and creaseproofing**
Washing, see **Laundering**
Water Resistance and Waterproofing
cotton fabrics: fluorochemical finishes *Grajeck, Petersen* . . . 320
cotton suits, water repellent: comfort compared to cotton suits and Orlon suits *Galbraith, Werden, Fahnestock, Price* . . . 236
polymerization of silicone alloy/solvent media *Conner, Mazzeno, Reeves* . . . 598
Wear
abrasion phenomena in cotton: microscopical observations *deGruy, Carra, Tripp, Rollins* . . . 873
cotton sateen: finish/reflex-abrasion resistance *Weiner*—L . . . 524
snagging of fabrics: laboratory/field test results *Weiner, Pope*—L . . . 350
Weathering
wool fibers: effect of chemical and physical properties (esp. felting) *Zahn, Blankenburg* . . . 986
Weaving, see **Textile processing**
Wool
bulks from Australian flocks: variability of fiber diameter *Khandaker, Lang*—L . . . 786
carbonizing: critical study *Mizell, Davis, Oliva* . . . 497
raw: aqueous jet scouring: factors affecting grease removal *Anderson, Poulter* . . . 387
—— comment *Chaikin, Samson*—L . . . 871
—— reply *Anderson, Poulter*—L . . . 872
top: fiber fineness distribution measured with electronic counter *O'Connell, Martsch* . . . 581
Wool, Chemically Treated
dimethylformamide with mono- and diisocyanates *Koenig* . . . 117
formic acid treatment/recovery and load-elongation curves *Szucht* . . . 710
frictional properties of treated wool *McPhee* . . . 14
interfacial polymerization to bring about fabric stabilization: polyurethanes *Whitfield, Miller, Wasley* . . . 743
iodination and related modifications/supercontraction of wool fibers *Crewther, Dowling* . . . 834
potassium permanganate: reaction with wool in neutral solution/inorganic salts *Williams* . . . 977
reduced methylated, reduced re-cross-linked, and untreated fibers: load-extension/supercontraction/set/creep *Whiteley* . . . 123
supercontraction and elongation of modified fibers in LiBr solution *Haly, Swanepoel* . . . 375
tryptophan content of modified wools *Graham, Statham* . . . 908

Wool Fabric
airborne soil/photochemical degradation *Morris, Mitchell, Aas-Wang* . . . 723
felting: duration of milling/shrinkage/fiber movements *Makinson* 364
felting: treatments to increase (and decrease) rate of *McPhee* 14
orientation (para-ortho) of Merino fibers in fabrics *Baird*—L 419
setting and hygral expansion *Olofsson*—L . . . 1037
—— reply *Baird*—L . . . 1037
stabilization by interfacial polymerization of polyurethanes *Whitfield, Miller, Wasley* . . . 743
yellowing/sunlight *Milligan, Tucker* . . . 634
Wool Fibers (see also **Keratin**)
absorption of water measured by different techniques *Mackay, Watt*—L . . . 248
binding of water in keratin *Feughelman, Haly* . . . 966
creep: measurement *Whiteley, Balasubramaniam* . . . 381
crimp recovery *Banbaji, Alexander, Shiloh, Lewin* . . . 568
differential staining (ortho-para) and liquid sorption rates of cortex segments *Williams*—L . . . 83
drying at 105° C: vibroscope determination *Mackay*—L . . . 80
electron paramagnetic resonance: natural occurrence in wool *Windle* . . . 963
equilibrium water content of wool samples on absorption of water vapor *Watt*—L . . . 1035
hydrogen bonds/elastic recovery and shape of load-elongation curves *Szucht* . . . 710
mechanical properties of different wools in water *Rigby*—L 1034
modified: supercontraction and elongation in LiBr solution *Haly, Swanepoel* . . . 375
modified keratins: interrelationships of mechanical properties (load–extension, supercontraction, set, and post-yield creep) *Whiteley* . . . 123
nuclear magnetic resonance absorption by water in wool/changes of water content *Haly, West, Feughelman* . . . 971
para-ortho orientation of Merino fibers in woven fabrics *Baird*—L . . . 419
permanent set and keratin structure *Feughelman, Haly, Smith* 913
regain/physical properties: mechanism of stress relaxation and length recovery *Feughelman, Haly* . . . 227
stretched: mechanical weakening during moisture sorption *Feughelman*—L . . . 788
supercontracted and washed/birefringence *Haly*—L . . . 526
supercontraction/iodination *Crewther, Dowling* . . . 834
torsional properties: rigidity/rate of deformation/relative humidity *Nordon* . . . 560
torsionad rigidity/ortho- and paracortex *Andrews, Feughelman, Mitchell*—L . . . 421
weathering/chemical and physical properties (esp. felting) *Zahn, Blankenburg* . . . 986
Wrinkle Resistance, see **Crease resistance and creaseproofing**

X-Ray Diffraction
camera film holder for x-ray diffraction cameras *Morrissey*—L 1040
cotton: crystallite orientation and spiral structure: measuring crystallinity *DeLuca, Orr*—L . . . 243
cotton (swollen and hydrolyzed): measurements of crystallinity and crystallite size *Patil, Dweltz, Radhakrishnan* . . . 460
isotactic polypropylene: temperature/crystallinity *Shibukawa, Gupta, Turner, Dillon, Tobolsky* . . . 1008
linear polyethylenes: temperature dependence of crystallinity *Shibukawa, Gupta, Turner, Dillon, Tobolsky* . . . 810
polyethylene terephthalate filaments: measurement of molecular orientation *Farrow, Bagley* . . . 587
servo-densitometer for examining x-ray diffraction patterns of cotton fibers *Krowicki, Ewald* . . . 815
specimen holder for wet cellulosic materials *Segal*—L . . . 702
thermal technique for study of structural changes in cellulosic compounds *Creely, Conrad* . . . 184

Yarn Geometry
elasticity in spun yarns: Lycra staple blends *Hicks* . . . 791
fiber length distribution/number of fibers in cross section of yarn *Zurek* . . . 255
Yarn Testing
high-speed impact: strain-time-position history in yarns *Jameson, Stewart, Petterson, Odell*—L . . . 858
high-speed impact loading: stress-strain relationships: shock waves, limiting breaking velocities, critical velocities *Smith, Blandford, Towne* . . . 67
high-speed impact loading: stress–strain relationships/yarn structure *Smith, Blandford, Shouse, Towne* . . . 472
Yarns (see also **Cotton yarn, Yarn testing**)
elasticity: through Lycra staple blends *Hicks* . . . 791
friction: terminology *Mieszkis*—L . . . 613
—— *Fort, Olsen*—L . . . 613
friction studies on Caprolan filament yarn *Schlatter, Demas* . . 87
thermodurable: experimental *Coplan, Freeston, Powers* . . . 777
torsional energy *Mark*—L . . . 81

BOOK REVIEWS

Advances in Carbohydrate Chemistry, Vol. 14. M. L. Wolfrom, editor (1959) . . . 172
Advances in Carbohydrate Chemistry, Vol. 15. M. L. Wolfrom, editor (1960) . . . 434
Advances in Textile Processing, Vol. I. J. Edward Lynn and J. J. Press, editors (1961) . . . 528
Card Room Conference Notes. Staff of Institute of Textile Technology (1961) . . . 790
Handbuch der Werkstoffprüfung. Band 5: Die Prüfung der Textilien. H. Sommer and F. Winkler, editors (1960) 254
Keratin and Keratinization: An Essay in Molecular Biology. E. H. Mercer (1961) . . . 528
Modern Dielectric Materials. J. B. Birks, editor (1960) . . . 172
Natural and Synthetic Fibres Yearbook 1960. Milton Harris and H. Mark, editors . . . 254
Natural Polymer Man-Made Fibers. C. Z. Carroll-Porczynski (1961) . . . 790
Wool—An Introduction to Its Properties, Varieties, Uses, and Production. W. J. Onions (1962) . . . 790